

REFEREE BOX HELICES FITASC

RB-ELI-01

for EP-ELI-02



MAQUINAS Y CONSUMIBLES PARA CAMPOS DE TIRO SL	
Autor	MYC para Campos de Tiro SL
Versión	V2
Idioma	ENGLISH
Fecha	2023

External Control Unit separated and accessible by the Referee during a competition. Main characteristics:



1. **START:** Motor and Timer starter.
2. **STOP:** Stops all the motors and restart the countdown
3. **REWIND:** come back to the immediately preceding position in case of NO BIRD or repeat the target
4. **REARM:** Rearm all the machines released
5. **DIGITAL SCREEN:** It shows

Active/deactivated machines

RPM (the speed is “sealed” and doesn’t allows control the speed)

Timer. As same than in the Sonopull, fixed for the first 12 sec. and blinking for the las 8 sec. When the time limit is over, automatically stops the motors

Valid for Control Unit **EP-ELI-02** that is **specially designed for helices launchers. Our own development** and equipped with a phonic group up to 8 microphones. Randomly selects which target must be released. Controlling the motors and the target release doors

Is linked with a sonopull system that will activate with a voice command “PULL” from de shooters. It gives the input to release the targets



1. Connector to link to EP-ELI-02
2. Connection for card reader

SAFETY



ATTENTION. Do not get into the trajectory of the helices or the scope of action of the machines when performing these operations. Ensure that no one is in the range of the machines when the control is being manipulated



Any **maintenance operation** must be carried out **by qualified personnel**.



Do not manipulate any part of the control (electronic board, battery, ...).



Mandatory use of **safety goggles and hearing protection** to exercise the shot.